

# FG7 FG7R

Case Fan



## Features:

- Support aRGB Sync
- Octagon aRGB accents create a polished, dazzling rainbow glow
- Rubber Dampeners: Corner pads absorb vibrations to reduce noise
- Nine-blade fan maximizes airflow volume
- Infinity mirror side lighting adds a rich, tunnel-like glow that makes your build look deeper, cleaner, and more premium
- Durable hydraulic bearing for long-lasting, quiet operation



CASE FAN  
FG7 / FG7R

V251202K

# REVISION HISTORY

<b>Version Number</b>	<b>Date</b>	<b>Modification Description</b>	<b>Modified By</b>
-----------------------	-------------	---------------------------------	--------------------

# SPECIFICATIONS

<b>PART NUMBER</b>	FG7-BK FG7-WH
<b>MODEL</b>	FG7
<b>AIRFLOW DIRECTION</b>	Standard
<b>CONNECTOR</b>	4-pin (PWM) + 3-pin (ARGB)
<b>DIMENSION (L x W x H)</b>	120 x 120 x 25 mm
<b>FAN RATED VOLTAGE</b>	DC 12V
<b>FAN RATED CURRENT</b>	0.16 A
<b>FAN RATED POWER</b>	1.92 W
<b>FAN LEAVES</b>	9
<b>CABLE LENGTH</b>	500 mm ± 10mm
<b>BEARING TYPE</b>	Hydraulic bearing
<b>MAX AIRFLOW</b>	53.03 CFM
<b>STATIC PRESSURE</b>	1.64 mm-H <sub>2</sub> O
<b>SPEED</b>	800 - 1800 ± 10% RPM
<b>NOISE LEVEL</b>	≤ 29.8 dB(A)
<b>LED TYPE</b>	aRGB

# SPECIFICATIONS

<b>PART NUMBER</b>	FG7R-BK FG7R-WH
<b>MODEL</b>	FG7R
<b>AIRFLOW DIRECTION</b>	Reversed
<b>CONNECTOR</b>	4-pin (PWM) + 3-pin (ARGB)
<b>DIMENSION (L x W x H)</b>	120 x 120 x 25 mm
<b>FAN RATED VOLTAGE</b>	DC 12V
<b>FAN RATED CURRENT</b>	0.16 A
<b>FAN RATED POWER</b>	1.92 W
<b>FAN LEAVES</b>	9
<b>CABLE LENGTH</b>	500 mm ± 10mm
<b>BEARING TYPE</b>	Hydraulic bearing
<b>MAX AIRFLOW</b>	52.84 CFM
<b>STATIC PRESSURE</b>	1.54 mm-H <sub>2</sub> O
<b>SPEED</b>	800 - 1800 ± 10% RPM
<b>NOISE LEVEL</b>	≤ 32.4 dB(A)
<b>LED TYPE</b>	aRGB

# PICTURES



# PICTURES

