

# CC

240E / 360E

## 1STPLAYER CPU LIQUID COOLER



### FEATURES:

- High-density fin radiator delivers efficient heat dissipation
- aRGB lighting that synchronizes with the motherboard
- Premium copper cold plate ensures superior heat absorption
- Hydraulic bearing fans reduce noise and extend lifespan
- Wide socket compatibility: Intel LGA 1851, 1700, 2011, 115x, 1366 and AMD AM5, AM4, AM3, AM2, FM2, FM1
- Integrated display on the pump head shows real-time temperature for precise monitoring



CPU LIQUID COOLER  
CC-240E / CC-360E

V260126K


# REVISION HISTORY

<b>Version Number</b>	<b>Modification Description</b>	<b>Modified By</b>
V260126K	Extended 5-Year Warranty	Kane

# SPECIFICATIONS

MODEL		CC-240E	CC-360E
SUPPORTED CPU		Intel 1851 / 1700 / 2011 / 115x / 1366 AMD AM5 / AM4 / AM3 / AM2 / FM2 / FM1	
TDP		200 W	300 W
WARRANTY		5-Year-Warranty	
RADIATOR	DIMENSIONS(L x W x H)	277 x 119 x 27 mm	397 x 120 x 27 mm
	MATERIALS	Aluminum	
TUBE	DIMENSION	350 mm	380 mm
PUMP	DIMENSIONS(L x W x H)	73.7 x 73.7 x 58.4 mm	74 x 89.2 x 51.8 mm
	SPEED	2500 RPM $\pm$ 10%	
	NOISE	$\leq$ 30 dB(A)	
	CONNECTOR	3pin + aRGB	
	RATED VOLTAGE	12 V DC	
	RATED CURRENT	$\leq$ 0.30 A	
	POWER CONSUMPTION	$\leq$ 3.6 W	
FAN	QTY	2pcs	3pcs
	DIMENSIONS(L x W x H)	120 x 120 x 25 mm	
	SPEED	800 - 2000 RPM $\pm$ 10%	
	AIRFLOW	71.18 CFM	
	AIR PRESSURE	2.19 mmH <sub>2</sub> O	
	NOISE	$\leq$ 32.874 dB(A)	
	CONNECTOR	4 pin + aRGB	
	BEARING TYPE	Hydraulic Bearing	
	RATED VOLTAGE	12V DC	
	RATED CURRENT	0.22 A $\pm$ 10%	
	POWER CONSUMPTION	2.64 W $\pm$ 10%	

# PICTURES



CPU LIQUID COOLER  
CC-360E-WH

# PICTURES



CPU LIQUID COOLER  
CC-360E-BK